

# DESIGN AND IMPLEMENTATION OF AN EMBEDDED SYSTEM FOR AUTOMATIC SCHEDULING

<sup>1</sup> SIDDOKU RANJITH,<sup>2</sup> GANESH URUGONDA,<sup>3</sup> ARRURU MOUNIKA,<sup>4</sup> NALLA VIHARIKA,<sup>5</sup> RADHARAPU ANVESH

<sup>1,2,3</sup> Assistant Professor,<sup>4,5</sup> Students

Department of ECE

Vaagdevi College of Engineering, Warangal, Telangana

**ABSTRACT**—An embedded system for automating scheduling processes, including military exercises, workplace shift changes, and school bells, is described in this study. The system is composed of two components: a real-time actuator node that controls a physical item, such a bell system, and a remote node that is utilised for remote control and system configuration. The implementation as an automated school bell system provides a detailed illustration of the hardware and software framework for both components of the system.

**Keywords:** automated bell system, school bell system, embedded system

## I. INTRODUCTION

During the last few decades, advancements in technologies have made it possible to automate various tasks and jobs, ranging from repetitive industrial processes to personal home automation. There is a tendency to free people from execution of tasks that have to be extensively repeated for many times.

However, technology in the educational sector, especially in primary education, has been employed only in the recent years in Bosnia and Herzegovina. There have been 1010 elementary schools in Bosnia before 1946 [1], and around additional 1500 have been built until the 1980's [2]. Most of these schools have not been adapted with

new technologies that have become available, mainly due to economic reasons.

An obvious example of the lack of technology in the educational sector in Bosnia are manual ringing bells used in elementary and high schools. The start and end of class or breaks are indicated by ringing bells. These bells currently need to be operated manually in most of these schools built before the 70's and 80's.

The idea of automation of scheduling systems, ranging from school bells to tower bells has been extensively developed by independent companies and developers [3, 4]. These systems are high cost, require changes to be made on the current infrastructure or have a limited amount of bells that can be connected, which requires the purchase of additional components in order to operate a large scale system [5].

Low cost and low power devices for automation of school bells have been already described, however they do not allow easy adjustment of scheduling times by the end user [6]. The issue of end user access simplification is addressed in this paper.

This paper proposes a system that will allow the use of the current infrastructure to automate these bells, and eliminate the need to always have someone stand close-by if it is time to ring.

The major contribution is the introduction of a simple low cost system that is simple

to use and maintain. The system is made to be installed into the current infrastructure, making the installation simple and fast.

The following section presents the detailed system structure, describing the two separate parts of the system in detail. After description of the structure, the system behavior for each of the two nodes is presented with details from its practical implementation. Finally, practical and theoretical aspects for the complete systems are discussed and directions for future work are given.

## II. SYSTEM DESCRIPTION

The Embedded Automatic Scheduling System proposed in this paper consists of two clearly separable parts:

- Real time actuator node
- Remote control node

The Real time actuator node is a small, compact device intended to be installed in place of the current manually operated switch. The role of this device is to activate the bells at required times. A human machine interface consisting of a small keyboard and display is available to the user allowing for complete control of the device, that is, adding new and modifying current schedules, setting or changing the clock time etc.

Remote control node allows for complete remote control of the actuator node. It is intended to be connected to personal computers over USB.

The PC to which the remote control node is connected, is running an application that offers the same functionality as the human machine interface on the field mounted actuator node. Communication with the Actuator node is established over RF transceivers, allowing the users to adjust

the schedule times or ring the bells by a simple interface on their computers.

The Real time actuator node can be functioning as a standalone device, it does not require the presence of the remote control node in order to operate correctly. The remote control node is intended as an addition to the actuator node, nevertheless it presents an integral part of the whole system as it eases the access and control and does not increase the cost of the complete system significantly. General block structure of the system is shown in Fig. 1.




Fig. 1. General system structure

In case that the required application consists of multiple bells that have to be operated independently, it is possible to install multiple actuator nodes on each bell that will be controlled by one control node.

## III. HARDWARE STRUCTURE OF THE SYSTEM

As mentioned in Section II, the general system consists of two main parts, their detailed hardware structure will be discussed in detail.

### A. Real Time Actuator Node

The actuator node is intended to be mounted into the wall socket instead of the regular switch used for manual operation. Having minimal space requirements as compared to other solutions for the automation of school bell systems [3, 4]. The hardware structure of the actuator

node is shown in Fig. 2 and implemented prototype in Fig. 3.

The prototype device is implemented with help of the Arduino Mini Pro development platform [7]. The Arduino is equipped with an Atmega328P microcontroller that allows use of a large number of features while keeping the power consumption low in case the need for complete battery operation of the device [8].




Fig. 2. Real Time Actuator Node Hardware Structure

The Atmega328 is an 8-bit microcontroller with 32KB of flash memory, 2KB SRAM and up to 23 GPIO lines running at 16MHz. Its five software selectable power saving modes allow efficient energy consumption [8].

Accurate time keeping is accomplished by using an external DS1307 real time clock circuit [9]. The real time clock has its own separate battery backup that allows accurate time tracking even when there is a power shortage. In addition to the clock, it features a calendar function, which can be used to disable the school bell system automatically during weekends, specific dates (state or religion holidays for example), etc.

The RF transceiver allows the communication between the Remote control node and the Actuator node, in case there is need for remote control. By using the low power and low cost nRF24L01+

chip the range is around 30m indoors, while this range can be greatly extended when the devices are placed in line of sight [10].

Time setup and schedule control on the device are made possible by using a 48x84 px LCD display to show the menu with instructions and an 4x4 keyboard which allows complete control of the device.



Fig. 3. Real time actuator node prototype

The main idea behind keeping the system adaptable to the current infrastructure is based on using a relay device to replace the manual switch. Relays basically behave like regular switches but they can be simply controlled by a microcontroller.

Combining this fact with the very small dimensions of the Real time actuator device allows for complete implementation of the system virtually without any significant changes to the current infrastructure.

The current prototype can be powered by any DC source with output ranging from 9V to 12V. The power and battery requirements will be further discussed in later sections.

## B. Remote Control Node

The Remote Control Node can be connected to any personal or office computer in reasonable proximity to the place where the Actuator node is mounted. The hardware structure of the Remote Control Node is shown in Fig. 4. and prototype implementation in Fig. 5.

It is accompanied by a user application that currently works only on Windows operating systems. The user interface of the application is shown in Fig. 6.



Fig. 4. Remote Control Node Hardware Structure




Fig. 5. Remote Control Node Prototype

In order to reduce the cost, again the Arduino Mini Pro development platform is used for controlling the same type of RF transceiver as in the Real Time Actuator Node.

The user application in combination together with the remote control node allows for remote control and setup of any of the parameters of the actuator node: adjusting the correct time, entering custom

schedules, activating predefined schedules, etc.

Communication between the microcontroller and the computer is established over the USB, so it is enough to plug in the device to the computer over USB without the need of any additional equipment.

## IV. SOFTWARE STRUCTURE

As mentioned, there are two ways of Actuator node control, either directly using the human machine interface (keypad and LCD) or remotely by using the remote control node and the Windows application. The behavior of the system and its functions will be elaborated in this section.

### A. Real Time Actuator Node

By using the keypad on the Actuator Node it is possible to completely control all functions of the device. Basic functionalities include selecting predefined schedules, entering durations of classes and breaks while using predefined patterns, or entering completely custom schedules that will ring at defined times, including the possibility to ring the bell once immediately, preserving the functionality of the initial mechanical system. All functions of the actuator node are shown in Fig. 7.




Fig. 6. Windows Application User Interface

In order to keep the system user friendly and simple to operate, all types of

regularly used schedules are already predefined. For example, the basic and most used schedule is with 45min for class time, 5 min for short breaks and 15 min for the long break. The user may adjust the schedule in just a few short steps instead of having to reconfigure the whole device, as it is case for some of the current systems used for school bell automation.

Additionally, it is possible to add individual ring times at any time or completely custom schedules to the system. In case of adding individual ring times, you may disable the regular schedule and create a completely custom one or add individual ring times to the current running schedule. In either case, the custom schedule will be active only for one cycle, meaning it will be active only for one day as these special school events usually require modifications only for one day.

The system offers a possibility to disable the device completely until activated again, this is useful in vacation days, holidays or any other day where it is not necessary to ring the bells.




Fig. 7. Actuator Node Function Strucutre

Ringging times are stored in non-volatile memory in form of lookup tables, allowing

correct operation of the device even when power outages happen. Custom schedules and individual ring times are stored only until beginning of the next day, as these are usually never required to be active longer than one day. These custom schedules are enabled for example during holidays.

When the actuator node receives commands from the remote control node, it sends the current stats of the system back to the actuator node. This mechanism is used to confirm transmission of correct data on the remote side.

**B. Remote Control Node**

The Remote Control Node allows full control of real-time actuator node by using any personal computer.

All features that are accessible from the human machine interface are also accessible from the application, again the user has full control of the device, including custom schedules, predefined schedules, immediate ring and time adjustment.

Even though it is not necessary to use the Remote Control Node, it simplifies the operation of the device.

When commands are sent to the Real-time actuator node, a response is received from the same key node. If no response is received, or the received data does not match the sent data, an error has occurred and it is indicated inside the user application as shown in Fig. 6.

**V. SYSTEM IMPLEMENTATION**

Initial testing was performed inside a controlled environment with constant monitoring of the system. During initial testing, the system was powered over USB cable connected to the computer. Because of the direct connection to the computer it

was also possible to debug and correct errors detected in the early stages.

After successful completion of the first initial test the system was tested in the real physical environment. The system was installed in the “Mješovita srednja škola” in Maglaj during a two-day period for testing and demonstration purposes.

Response of school staff has been very good for the prototype system as it eliminates the need for one person to always be available to operate the ring control switch. Additional reason for the good response has been due to the easy operation and control of the system, because all setup steps are followed with instructions on the screen. Although, comments were made about possible changes and improvements which will be considered during future work.

Before permanent installation of the system additional testing and validation must be performed in order to guarantee correct operation.

## VI. POWER CONSUMPTION ANALYSIS

During testing the system was powered by an 12V adapter. Though, it became obvious that it will not be always possible to power the system from an external source. Battery operation is often a requirement for this kind of devices and power consumption optimization is required.

Current consumption of the unmodified Arduino Nano Pro development board was measured to be around 23 mA with external equipment turned off and 5V applied to the internal voltage regulator. The Arduino contains a LED indicator that is always turned on when the board is on. By removing the LED it is possible to reduce the power consumption.

Additionally, the MIC5205 voltage regulator on the Arduino was found to be quite inefficient. To get better efficiency, it is needed to remove the LED and the voltage regulator. It is then possible to reduce the power consumption to less than 15mA when the Arduino is powered directly from a 5V voltage source. By sending the processor to sleep mode between ringing intervals it is possible to reduce the power consumption below 100 $\mu$ A during sleep mode.

In case that battery operation is required, it is possible to use the MPC1700 voltage regulator with 1.6  $\mu$ A quiescent current during normal operation [11]. Avoiding the inefficient internal voltage regulator.

Power consumption of the DS1307 real time clock can be neglected as it has its own battery that can according to specifications last up to 10 years [9].

The LCD display consumes 10mA when active with backlight on. However, if battery operation is required the light can be turned off and power consumption is reduced to 300 $\mu$ A [12]. Additionally, the display can be turned off when no operation on the device is required, reducing the power consumption to 1 $\mu$ A when the LCD is off.

The RF transceiver was measured to consume 10mA during transmission at lowest bit rate or idling. As the user can send data from the control node at any time it is needed to have the RF transceivers on at all times. But constant consumption of 10mA is not efficient for battery usage.

Highest power consumption was by the relay. Its consumption was up to 75mA when active. This is very high for battery operated devices. The relay is active at most for 60 seconds during an hour, when using the shortest type of predefined

schedule. At long battery operated periods this is still high. One possibility to avoid this high power consumption would be to use digital elements instead of relays.

Power consumption optimization will remain in focus during future development of the project.

## VII. DISCUSSION

The proposed embedded system consisting of two parts, actuator and remote control node, has been implemented and tested as a school bell automation system. Its effective and correct functionality have been confirmed through exhaustive testing.

More testing and validation is required to implement the system permanently in the school or any other structure that requires scheduling automation.

During testing in the real physical environment it was shown that the system indeed does not need any significant changes to the current infrastructure. Even more, the current mechanical system at site of testing is powered by 12V, meaning that there is no need for an AC/DC converter to power this prototype system. However, this will not be the case always and future work will include a converter built into the device, depending on the application.

Battery operation at the current level is not recommended as power consumption is not fully optimized, nevertheless there is great potential for optimization which is going to be the main task for future work.

## VIII. CONCLUSION

The actuator and remote control node work together to provide a versatile and adaptable system that may be used in any setting where scheduling automation is necessary.

The system may be fully controlled remotely thanks to the remote control node. It can be used to operate a single actuator node or several nodes simultaneously, such as to control bells simultaneously even if they are not physically connected.

In situations when cost reduction is necessary and remote control is not necessary, it is also feasible to install the system without one.

It has been demonstrated that the system's practical application at the "Mješovita srednja škola" in Maglaj is highly successful and significantly enhances the present scheduling system. It is no longer necessary to have someone there at all times to ring bells at certain intervals.

Without requiring costly modifications to the existing infrastructure, the approach outlined in this study offers a means of introducing new technology into the educational field.

One system without battery backup, except the real-time clock, would cost around \$50 during prototype development. However, the price may be lowered if more equipment were acquired at once.

## IX. REFERENCES

- [1] N. Malcolm, "Povjest Bosne", 1995.
- [2] S. Hadžić, S. Selimović, "Kulturna historija Bosne i Hercegovine", Tuzla 2009. p. 351
- [3] Innovationwireless, "K-12 SCHOOL Synchronized Wireless and POE Clocks" 2016. [Online] Available: <http://www.innovationwireless.com/> [Accessed June 19, 2016.]
- [4] Timesystems, "AutoBell Complete School Bell Solution" 2016. [Online] Available: <http://www.timesystems.co.nz/> [Accessed June 20, 2016.]

- [5] Visplex, "School Bell System" 2016. [Online] Available: <http://www.visiplex.com/> [Accessed July 14, 2016.]
- [6] R. Bhakthavatchalu, S. Mallia, S., Harikrishnan, R., Krishnan, A., and Sruthi, B., "Low power scheduled alarm system using embedded microcontroller with USB interface", in 2011 International Conference on Emerging Trends in Electrical and Computer Technology, ICETECT 2011, Chunkankadai, 2011, pp. 610-615.
- [7] Arduino, "Arduino Pro Mini 328 - 5V/16MHz" 2016. [Online] Available: <https://www.arduino.cc/en/Main/ArduinoBoardProMini> [Accessed June, 2016.]
- [8] Atmel, "Atmel picoPower ATmega328/P Microcontroller" 2016. [Online] Available: [http://www.atmel.com/Images/Atmel-42735-8-bitAVR-Microcontroller-ATmega328-328P\\_datasheet.pdf](http://www.atmel.com/Images/Atmel-42735-8-bitAVR-Microcontroller-ATmega328-328P_datasheet.pdf) [Accessed June, 2016]
- [9] Dallas Semiconductor, "DS1307 64 x 8 Serial Real-Time Clock" [Online] Available: <https://www.sparkfun.com/datasheets/Components/DS1307.pdf> [Accessed June, 2016.]
- [10] Nordic Semiconductor, "nRF24L01+ Single Chip 2.4GHz Transceiver" 2008. [Online] Available: [https://www.sparkfun.com/datasheets/Components/SMD/nRF24L01Pluss\\_Preliminary\\_Product\\_Specification\\_v1\\_0.pdf](https://www.sparkfun.com/datasheets/Components/SMD/nRF24L01Pluss_Preliminary_Product_Specification_v1_0.pdf) [Accessed June, 2016]
- [11] Microchip "MPC1700 Low Quiescent Current LDO" 2013. [Online] <http://ww1.microchip.com/downloads/en/DeviceDoc/20001826C.pdf> [Accessed June, 2016]
- [12] Philips Semiconductors "PCD8544 48x84 pixels matrix LCD controller" 1999. [Online] <https://www.sparkfun.com/datasheets/LCD/Monochrome/Nokia5110.pdf> [Accessed June, 2016]